

Abmessung Dimension Medidas D Ø x B x d Ø mm	Zähnezahl No. teeth Denture Dentado	Best.-Nr. Order-No. Réf. No. Ref. No.	EUR*
---	--	--	------

Trapetz / Flach negativ für Profilstärke: 1-3 mm

Trapeze / Flat negative for profile thickness 1-3 mm

Trapèze / Plat négatif pour l'épaisseur du profil 1-3 mm


Trapezio / Plano negativo para espesor de perfil 1-3 mm

216 x 3,3 x 30		90	42 163 090	99,25
250 x 3,3 x 30	2 NL 7 TK42	80	42 503 080	104,00
250 x 3,3 x 32	2 NL 12 TK64, 11/63, 10/60	80	42 503 280	104,00
255 x 3,2 x 30		80	42 553 080	126,50
260 x 3,2 x 30	2 NL12 TK64, 11/63, 10/60	80	42 603 080	114,45
275 x 3,2 x 40	4 NL 12 TK64 + 2 NL8 TK55	88	42 754 090	117,10
300 x 3,3 x 30		96	43 003 096	122,50
300 x 3,3 x 30	2 NL 12 TK64, 11/63, 10/60	96	43 003 097 *	127,50
300 x 3,3 x 32	2 NL12 TK64, 11/63, 10/60	96	43 003 296	122,50
300 x 3,3 x 32	2 NL 11 TK63	96	43 003 297 *	127,50
300 x 3,3 x 40	4 NL 12 TK64 + 2 NL8 TK55	96	43 004 096	122,50
305 x 3,2 x 30	2 NL 12 TK64, 11/63, 10/60	96	43 053 096	124,00
315 x 3,2 x 30	2 NL 12 TK64, 11/63, 10/60	96	43 153 096	129,80
330 x 3,3 x 30	2 NL 12 TK64, 11/63, 10/60	96	43 303 096	148,00
350 x 3,4 x 30	2 NL 12 TK64, 11/63, 10/60	108	43 503 108	154,40
350 x 3,4 x 30	2 NL 12 TK64, 11/63, 10/60	108	43 503 109 *	151,50
350 x 3,4 x 32	2 NL 12 TK64, 11/63, 10/60	108	43 503 208	154,40
350 x 3,4 x 32	2 NL 12 TK64, 11/63, 10/60	108	43 503 209 *	151,50
350 x 3,4 x 40	4 NL 12 TK64 + 2 NL8 TK55	108	43 504 108	154,40
370 x 3,6 x 50	4 NL 15 TK80	96	43 705 096	172,00
400 x 3,8 x 30	2 NL 12 TK64, 11/63, 10/60	120	44 003 320	214,30
400 x 3,3 x 32	2 NL 12 TK64, 11/63, 10/60	120	44 003 221	204,00
420 x 4,0 x 30	2 NL 12 TK64, 11/63, 10/60	108	44 203 108	209,50
450 x 4,0 x 32	2 NL 12 TK64, 11/63, 10/60	108	44 503 208	211,00
500 x 4,2 x 30	2 NL 12 TK64, 11/63, 10/60	120	45 003 120	263,30
550 x 4,4 x 32	2 NL 12 TK64, 11/63, 10/60	132	45 503 132*	358,70
600 x 4,6 x 30	2 NL 12 TK64, 11/63, 10/60	140	46 003 140	411,00

* Mit Schallschutz Laserschlitzen
With noise reduction laser slots
Avec fentes de laser de réduction bruit
con ranuras de láser de reducción de ruido

Hartmetall-Präzisions-Kreissägeblätter für Leichtmetall

TCT Precision Circular saw blades for non-ferrous-metals
Lames de scies circulaires au carbure pour métal léger
Hojas de sierra circular de metal duro para metales ligeros





Abmessung Dimension Medidas D Ø x B x d Ø mm	Zähnezahl No. teeth Denture Dentado	Best.-Nr. Order-No. Réf. No. Ref. no.	EUR*
---	--	--	------

Trapetz / Flach negativ für Profilstärke 2-10 mm

Trapeze / Flat negative for profile thickness 2-10 mm
Trapèze / Plat négatif pour l'épaisseur du profil 2-10 mm
Trapecio / Plano negativo para espesor de perfil 2-10 mm

200 x 3,3 x 30		60	42 003 060	67,00
216 x 3,0 x 30		64	42 163 060	72,00
250 x 3,3 x 30	2 NL 7 TK42	60	42 503 060	85,30
250 x 3,3 x 32	2 NL 12 TK64, 11/63, 10/60	60	42 503 260	85,30
260 x 2,4 x 30	2 NL 12 TK64, 11/63, 10/60	68	42 603 068	104,90
275 x 3,3 x 40		60	42 754 060	102,90
300 x 3,2 x 30	2 NL 12 TK64, 11/63, 10/60	72	43 003 072	105,50
300 x 3,2 x 32	2 NL 12 TK64, 11/63, 10/60	72	43 003 272	105,50
300 x 3,2 x 30	2 NL 12 TK64, 11/63, 10/60	84	43 003 084	117,30
300 x 3,2 x 32	2 NL 12 TK64, 11/63, 10/60	84	43 003 284	117,30
350 x 3,3 x 30	2 NL 12 TK64, 11/63, 10/60	72	43 503 072	128,10
350 x 3,3 x 30	2 NL 12 TK64, 11/63, 10/60	84	43 503 084	138,00
350 x 3,3 x 32	2 NL 12 TK64, 11/63, 10/60	84	43 503 284	138,00
370 x 3,3 x 30		78	43 703 078	144,60
370 x 3,6 x 50	4 NL 15 TK 80	84	43 705 084	156,50
400 x 4,0 x 32	2 NL 12 TK64, 11/63, 10/60	96	44 003 296	187,60
400 x 4,0 x 40	4 NL 12 TK64 + 2 NL 15 TK80	96	44 004 096	187,60
420x 4,0 x 30	2 NL 12 TK64, 11/63, 10/60	96	44 203 096	199,00
450 x 4,0 x 32	2 NL 12 TK64, 11/63, 10/60	96	44 503 296	199,00
500 x 4,2 x 30	2 NL 12 TK64, 11/63, 10/60	100	45 003 100	246,00



Abmessung Dimension Medidas D Ø x B x d Ø mm	Zähnezahl No. teeth Denture Dentado	Best.-Nr. Order-No. Réf. No. Ref. no.	EUR*
---	--	--	------

Trapetz/Flach positiv / Trapeze/Flat positive / Trapèze/Plat positif / Trapecio/Plano positivo

250 x 3,2 x 30	2NL 12 TK64, 11/63, 10/60, 7/42	60	42 503 360	85,30
250 x 3,2 x 30	2NL 12 TK64, 11/63, 10/60, 7/42	80	42 503 082	104,00
250 x 3,2 x 32	2 NL 12 TK64, 11/63, 10/60	80	42 503 282	104,00
275 x 3,2 x 40	4 NL 12 TK64 + 2 NL9 TK55	72	42 754 372	105,50
300 x 3,2 x 30	2 NL 11 TK63	48	43 003 648	100,80
300 x 3,2 x 30	2 NL 12 TK64, 11/63, 10/60	72	43 003 672	105,50
300 x 3,2 x 30	2 NL 12 TK64, 11/63, 10/60	96	43 003 696	122,50
300 x 3,2 x 32	2 NL12 TK64, 11/63, 10/60	96	43 003 796	122,50
350 x 3,4 x 30	2 NL 12 TK64, 11/63, 10/60	84	43 503 684	138,00
350 x 3,4 x 30	2 NL 12 TK64, 11/63, 10/60	108	43 503 308	154,40
400 x 4,0 x 30	2 NL 12 TK64, 11/63, 10/60	72	44 003 672	151,00
400 x 4,0 x 30	2 NL 12 TK64, 11/63, 10/60	96	44 003 696	187,00
420 x 4,0 x 30	2 NL 12 TK64, 11/63, 10/60	96	44 203 196	199,00
450 x 4,0 x 30	2 NL 12 TK64, 11/63, 10/60	108	44 503 708	209,50
500 x 4,2 x 30	2 NL 12 TK64, 11/63, 10/60	72	45 003 673	213,00
500 x 4,2 x 30	2 NL 12 TK64, 11/63, 10/60	120	45 003 320	263,30
550 x 4,0 x 32	2 NL 12 TK64, 11/63, 10/60	72 (Emmegi)	45 503 773	309,75
550 x 4,4 x 30	2 NL 12 TK64, 11/63, 10/60	110	45 503 610	315,00
550 x 4,4 x 32	2 NL 12 TK64, 11/63, 10/60	128	45 503 728	353,50
600 x 4,6 x 30		140	46 003 640	411,00

